MOUNTAIN VIEW COSMETIC SURGERY, LLC ROBERT T. QUINN II, M.D. 2100 NE WYATT CT., SUITE 103 BEND OR 97701 541-317-9555 PHONE 541-317-9561 FAX

BREAST AUGMENTATION

Preoperative Instructions

- 1. Do not take aspirin or anti-inflammatory mediations for 10 days before surgery as this may increase the risk of bleeding. Tylenol is acceptable.
- 2. If your surgery is done as an outpatient, you will be give prescriptions that need to be filled in advance. Do not take them until your return home after your operation.
- 3. If your surgery is done at the office bring your prescriptions with you on your day of surgery. Also wear a button or zip front shirt to the office on the day of your surgery.
- 4. Prior to surgery date, purchase an inexpensive, stretchy bra that is approximately 2 cup sizes larger than your present size. Something that offers support but avoid anything with under wires or that is too tight.
- 5. You will need a driver and someone to take care of you the first 48 hours.

Postoperative Instructions

- 1. Notify the doctor of any of the following occur:
 - Temperature over 101 degrees or chills
 - Extreme swelling of either breast in the first 24 hours.
- 2. You will be sent home in an ace wrap. You may remove this the day following surgery. Please leave the tapes (steri-strips) on. You may shower 24-48 hours after surgery.
- 3. It is common to experience swelling and discomfort. Do not apply ice packs or heating pads to the breasts.
- 4. It is O.K. to use Ibuprofen or Aleve in between doses of other pain mediations. Try to wait at least two hours between medications doses. Take medications with food to decrease stomach upset.
- 5. You may begin driving when you are no longer taking narcotics.
- 6. Avoid lifting objects 10 pounds or more, and avoid strenuous activities for 2 weeks after surgery.
- 7. Call the doctors office the day following surgery to make a one week follow-up appt. (If not already made before you leave the hospital)
- 8. You will have sutures removed and be given instructions in massaging the implants at your first postoperative visit.